Fluid Phase Equilibria, 69 (1991) 307–308
Elsevier Science Publishers B.V., Amsterdam

Contents Volume 69 (1991)

Volume 69

The approximation of the critical isotherm with broken rational function
V. Peters (Hannover, Germany) 1–14

Estimation of DISQUAC interchange energy parameters for *n*-alkylamine + *n*-alkane mixtures
I. Velasco, J. Fernández and S. Otín (Zaragoza, Spain) and H.V. Kehiaian (Paris, France) 15–32

A cubic equation of state with a new alpha function and a new mixing rule
C.H. Twu, D. Bluck, J.R. Cunningham and J.E. Coon (Fullerton, CA, USA) 33–50

Measurements and calculations of phase equilibria in binary mixtures of ethane + eicosane. Part 3. Three-phase equilibria
C.J. Peters and J.L. de Roo (Delft, The Netherlands) and R.N. Lichtenthaler (Heidelberg, Germany) 51–66

Proximity effects in binary mixtures containing 1-chloro-, 1,1-dichloro- or 1,1,1-trichloroalkanes, or tetrachloromethane
J. Muñoz Embid and J.-P.E. Grolier (Aubière, France) and H.V. Kehiaian (Paris, France) 67–79

Steric and inductive effects in binary mixtures of organic carbonates with aromatic hydrocarbons or tetrachloromethane
H.V. Kehiaian and J.A. Gonzalez (Paris, France), I. Garcia, J.C. Cobos, C. Casanova and M.J. Cocero (Valladolid, Spain) 81–89

Prediction of liquid–liquid equilibria and of enthalpies of mixing in alkanoic acid anhydride + *n*-alkane mixtures using DISQUAC
H.V. Kehiaian and J.A. Gonzalez (Paris, France), I. Garcia, R. Escarda, J.C. Cobos and C. Casanova (Valladolid, Spain) 91–98

Practical equation of state and activity coefficient models based on the exp-6 fluid
L.R. Dodd and S.I. Sandler (Newark, DE, USA) 99–139

Extended BWR equation of state for fluorocarbons, chloroform and carbon tetrachloride
N. Nishiumi, S. Kura and T. Yokoyama (Tokyo, Japan) 141–153

Thermodynamic modelling of concentrated aqueous electrolyte and non-aqueous systems
A.R. Kolker (Leningrad, USSR) 155–169

Prediction of the vapour–liquid equilibrium of amine + alkane systems on the basis of pure liquid properties
K. Moorthi and A. Ksiazczak (Warsaw, Poland) 171–191

Prediction of vapor–liquid and liquid–liquid equilibria in phenol + hydrocarbon systems
J. Schmelzer, S.-O. Obst and K. Sühnel (Leipzig, Germany) 193–207

Volumes of mixing of ethers with tetrachloromethane at 298.15 K
A. Spanedda, L. Lepori and E. Matteoli (Pisa, Italy) 209–222
Excess heat capacities of 1-butanol + toluene from 298 to 368 K
J.C. Cobos, I. Garcia and C. Casanova (Valladolid, Spain), A.H. Roux, G. Roux-Desgranges and J.-P.E. Grolier (Aubière, France) 223–233
The effect of pressure on the constant-pressure heat capacity of CF_4–CHF_3 and N_2–CF_4–CHF_3 mixtures
F. Marruffo and F.P. Stein (Bethlehem, PA, USA) 235–250
Liquid–liquid equilibria for mixtures of an alkanol + methyl *tert*-butyl ether + water at 25 °C
T.M. Letcher, S. Ravindran and S.E. Radloff (Grahamstown, South Africa) . 251–260
Vapor–liquid equilibria of five binary systems containing R-22
N. Xu, J. Yao, Y. Wang and J. Shi (Nanjing, People's Republic of China) and B.C.-Y Lu (Ottawa, Ont., Canada) 261–270
Vapor–liquid equilibria in the binary systems formed by ethanol with 1,2-dichloroethane, 1,1,1-trichloroethane and 1,1,2,2,-tetrachloroethane at 96.7 kPa
V. Lakshman, M. Venkateshwara Rao and D.H.L. Prasad (Hyderabad, India) 271–284
Phase equilibria in binary and higher systems methanol + hydrocarbon(s). Part I. Experimental determination of liquid–liquid equilibrium data and their representation using the NRTL equation
G. Hradetzky and D.A. Lempe (Merseburg, Germany) 285–301
Letter to the Editor
Internal energies of methane: comparison of MD-results with the Setzmann–Wagner equation of state
B. Saager and J. Fischer (Bochum, Germany) 303–304

Author Index 305

Contents of Volume 69 (1991) 307–308